

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

#4

START

Place patient in body localizer and form body mold by the use of a vacuum lock or foam system

Fixate thermoplastic sheet to further restrain a body part

Align stereotactic body localizer in CT or MR gantry (PET and SPECT may also be used)  
or other imaging

Perform CT or MR imaging

Transport images to computer treatment planning system

Perform calibration of images and stereotactic volumetric spatial calculations

Determine stereotactic coordinates, areas or volumes (structures) within imaged body part using resolver algorithm.

Perform trajectories and volumetric calculations.  
treatment

Determine treatment plan to effectively treat volume or structure, e.g., biopsy, radiation, or beam therapy

Transport patient to linear accelerator and align patient in body localizer

Align body localizer with patient in radiation treatment field according to determined stereotactic coordinates.

Treat patient according to radiation plan.


Patient may be returned on repeat occasions, realigned and retreated.

END


biopsy or  
Surgery  
according  
to treatment  
plan.

Fig. 1


10029305-061202




(c)



(a)



(b)



(d)

Fig. 2

10029305-051202




Figure 3

202T90-5066200T  
10029305-061202




Figure 4




Figure 5

10029305 .051202




Figure 6




Figure 7




Figure 8




Figure 9

10029305-051202




Figure 10






Figure 11.

202190-5086200T  
10029305-051202






Fig. 12




Image slices which are  
tilted through the frame

202T90" SOE6200T




FIG. 14(a)

10029305-061202




FIG. 14(b)